



## NT 40/1 Ap L

NT 40/1 Ap L: Powerful wet and dry vacuum cleaner in the middle class with 40 litre tank. The machine impresses with excellent suction power, clever equipment and durable components.



### 1 Semi-automatic filter cleaning

- Semi-automatic filter cleaning guarantees constantly high suction power.
- The positioning of the Ap cleaning button simplifies handling.

### 2 Flexible hose and power cable storage

- Enables secure fixing of hoses of different lengths and diameters.
- Transport-proof storage of the power cable.

### 3 Removable filter casing

- Permits dust-free removal of the filter.
- Effectively prevents incorrect insertion of the flat pleated filter.

### 4 Clever integrated storage options for accessories

- Accessories are stored safely and are always ready to hand.



## NT 40/1 Ap L

- Semi-automatic filter cleaning
- Flat pleated filter with filter casing
- Flexible hose and cable storage

### Technical data

<b>Order no.</b>	1.148-321.0	
<b>EAN code</b>	4054278061351	
<b>Current type</b>	<b>Ph / V / Hz</b>	1 / 220 - 240 / 50 - 60
<b>Air flow</b>	<b>l/s</b>	74
<b>Vacuum</b>	<b>mbar / kPa</b>	254 / 25.4
<b>Container capacity</b>	<b>l</b>	40
<b>Rated input power</b>	<b>W</b>	1380
<b>Standard nominal width</b>	DN 35	
<b>Cable length</b>	<b>m</b>	7.5
<b>Sound pressure level</b>	<b>dB(A)</b>	70
<b>Number of motors</b>	1	
<b>Weight</b>	<b>kg</b>	12.4
<b>Dimensions (L × W × H)</b>	<b>mm</b>	525 × 370 × 630

### Equipment

<b>Suction hose</b>	<b>m</b>	2.5
<b>Suction tube</b>	<b>piece(s) / m</b>	2 × 0.55 / Metal
<b>Filter bag</b>	Fleece	
<b>Wet/dry floor nozzle</b>	<b>mm</b>	300
<b>Crevice nozzle</b>	■	
<b>Automatic switch-off at max. filling quantity</b>	■	
<b>Flat pleated filter</b>	Paper	
<b>Bend</b>	■	
<b>Filter cleaning</b>	ApClean (semi-automatic filter cleaning system)	
<b>Protection class</b>	II	
<b>Steering roller stop</b>	■	

■ Included in the scope of supply.

# NT 40/1 AP L

## 1.148-321.0

**KÄRCHER**


		Order no.	Quantity	ID	Length	Width	Price	Description	
<b>Suction tubes, metal</b>									
Suction tube set, chrome-plated, NW 35 550 mm	1	2.889-191.0	1 piece(s)	DN 35	550 mm			Suction tube set, metal-chrome-plated, NW 35, 2-part, each 0.55 millimetres.	■
<b>Flat pleated filter, paper</b>									
Dry flat pleated filter	2	6.904-367.0	1 piece(s)					Dry flat pleated filter made from cellulose fibre material with a green label. Suitable for vacuuming fine dust and coarse dirt from dust classes L and M.	■
<b>Fleece filter bags (three-ply)</b>									
Fleece filter bags	3	2.889-155.0	5 piece(s)					Fleece filter bag with 40-50 litre volume. Tear-resistant, dust class M, for suction hose port in machine head.	■
<b>Bend, plastic</b>									
Bend Adv	4	2.889-170.0	1 piece(s)	DN 35				Ergonomic bend for the new clip system.	■
DN 40 bend	5	2.889-171.0	1 piece(s)	DN 40				Bend for the new clip system in nominal size DN 40.	□
Elektricky vodivé koleno, DN 40	6	2.889-172.0	1 piece(s)	DN 40				Ohyb pro nový klipový systém o velikosti DN 40. Elektricky vodivý design. Speciálně vhodný pro vysoké koncentrace jemného prachu	□
Bend	7	2.889-148.0	1 piece(s)	DN 35				Ergonomic bend for the new clip system. With airflow control slide, in an antistatic design.	□
<b>Floor nozzles</b>									
Wet/Dry floor nozzle standard	8	2.889-173.0	1 piece(s)	DN 35		300 mm		300 millimetre width, anthracite coloured wet/dry floor nozzle, NW 35. With easy-to-change inserts. Incl. brush strips and squeegees.	■
Wet and dry floor nozzle Adv	9	2.889-152.0	1 piece(s)	DN 35		360 mm		360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	□
	10	2.889-153.0	1 piece(s)	DN 40		360 mm		360 mm wide wet and dry floor nozzle with easy-to-change inserts, squeegees.	□
Podlahová hubice, antracit DN40	11	2.889-174.0						Standardní podlahová hubice, antracit, s průměrem 40, s kartáčovými lištami a stěrkami. Vhodné pro všechny mokré i suché aplikace.	□
<b>Crevice nozzles</b>									
Crevice nozzle NT Tact DN 35	12	2.889-159.0	1 piece(s)	DN 35	225 mm			Crevice nozzle ID 35, for new Tact range.	■
<b>Complete suction hoses (clip system)</b>									
Suction hose	13	2.889-134.0	1 piece(s)	DN 35	2.5 m			2.5 m suction hose with new bayonet and clip fastener.	■
	14	2.889-135.0	1 piece(s)	DN 35	4 m			4 m suction hose with new bayonet and clip fastener.	□
Electrically conductive suction hose	15	2.889-136.0	1 piece(s)	DN 35	2.5 m			Electrically conductive suction hose with new bayonet and clip fastener. Length: 2.5 m.	□
	16	2.889-137.0	1 piece(s)	DN 35	4 m			4 m suction hose with new bayonet and clip fastener. Electrically conductive.	□
Suction hose DN 40, length 4 m	17	2.889-138.0	1 piece(s)	DN 40	4 m			4 m suction hose with new bayonet and clip fastener.	□
Suction hose	18	2.889-139.0	1 piece(s)	DN 40	2.5 m			Suction hose with new bayonet and clip fastener. Length: 2.5 m.	□
Suction hose, oil-resistant	19	2.889-140.0	1 piece(s)	DN 40	4 m			Oil-resistant suction hose with new bayonet and clip fastener. Length: 4 m.	□
Electrically conductive suction hose	20	2.889-141.0	1 piece(s)	DN 40	4 m			4 m, electrically conductive suction hose with new bayonet and clip fastener.	□
<b>Flat pleated filter, PES</b>									
Wet & Dry flat pleated filter	21	6.907-662.0	1 piece(s)					Wet & Dry flat pleated filter made from PES fibre material with a blue label. Suitable for vacuuming liquids, fine dust and coarse dirt from the M and L dust classes.	□

■ Included in the scope of supply. □ Available accessories.

# NT 40/1 AP L 1.148-321.0

**KÄRCHER**



		Order no.	Quantity	ID	Length	Width	Price	Description	
<b>Flat pleated filter, PTFE</b>									
Ultimate flat pleated filter	22	6.907-455.0	1 piece(s)					Ultimate flat pleated filter made from PES/PTFE fibre material with a black label. For the toughest applications when vacuuming liquids, fine dust and coarse dirt from dust classes M and L.	<input type="checkbox"/>
<b>Suction tubes, stainless steel</b>									
Suction tube	23	6.902-081.0	1 piece(s)	DN 40	0.5 m			Stainless steel suction tube (DN 40, 0.5 m) only suitable for NT vacuum cleaners.	<input type="checkbox"/>
<b>Extension hoses (clip system)</b>									
Extension hose	24	2.889-145.0	1 piece(s)	DN 35	2.5 m			Extension hose for new clip system ID 35. Length: 2.5 m.	<input type="checkbox"/>
<b>Other</b>									
Drilling dust nozzle	25	2.679-000.0	1 piece(s)					Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Adapter connection old elektr. leitend	26	5.031-436.0							<input type="checkbox"/>
<b>Fabric filter</b>									
Membrane filter for the new Tact and Ap range	27	2.889-281.0						Additional membrane filter made from non-woven fabric for machines in the Tact and Ap range. To be pulled directly over the container, it enables vacuuming without a filter bag. Can be washed and reused.	<input type="checkbox"/>
<b>Car cleaning nozzles</b>									
Car nozzle	28	6.906-108.0	1 piece(s)	DN 35		90 mm		Angled, flat, plastic car vacuuming tool with about 90 mm working width. Only for NT vacuum cleaners.	<input type="checkbox"/>
<b>Repair kits</b>									
Repair kit ID 35	29	2.889-149.0	1 piece(s)	DN 35				Repair kit ID 35 for the new clip system.	<input type="checkbox"/>
<b>Connection adapter C ID (clip to cone), electrically conductive</b>									
Connection cone NW35	30	5.407-005.0						Adapter clip in compact design for connection of small nozzles to cone DN 35. Perfect for vehicle interior cleaning. There is no need to connect other nozzles.	<input type="checkbox"/>
Connection cone NW40	31	5.407-006.0						Adapter clip for connection of small nozzles to cone DN 40. Ideal for jobs during vehicle interior cleaning. The compact design makes the connection of other nozzles obsolete.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.